



US00D635293S

(12) **United States Design Patent**
Weiss

(10) **Patent No.:** **US D635,293 S**

(45) **Date of Patent:** **** Mar. 29, 2011**

(54) **BASE FOR A REPLACEABLE LIGHTING UNIT**

(75) Inventor: **William J. Weiss**, Boca Raton, FL (US)

(73) Assignee: **MSI, LLC**, Deerfield Beach, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/360,855**

(22) Filed: **Apr. 30, 2010**

Related U.S. Application Data

(62) Division of application No. 29/346,618, filed on Nov. 3, 2009, now Pat. No. Des. 615,698.

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/142**

(58) **Field of Classification Search** D26/85,
D26/133, 134, 136, 122, 138, 118, 131, 137,
D26/124, 69, 68, 67, 71, 125, 149, 147, 156,
D26/94, 73, 32, 47, 57, 152, 74, 142, 2, 52,
D26/72, 113, 140, 60, 51, 38, 135, 119, 120,
D26/121, 123; D8/71, 72, 395, 328; D19/65,
D19/90; 248/206.5, 389, 229.13, 229.15;
D32/8, 55, 58; 211/106, 119.01, 119.09,
211/85.15; 439/540.1; 362/183, 249.01–249.11,
362/356, 365, 523, 190, 191, 351, 352, 357,
362/358; D24/99, 327, 134, 227; D2/624;
24/316, 306, 339, 3.1, 3.11, 3.12; D6/557,
D6/462; 52/19, 28; 8/38; D14/511, 496
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D284,792 S * 7/1986 Thiry et al. D26/2
D306,765 S 3/1990 Pavelin
D309,503 S 7/1990 Benson et al.
D321,762 S * 11/1991 Mujahid et al. D26/2
D327,132 S 6/1992 Schuster

D329,710 S * 9/1992 Muller et al. D26/26
D384,173 S * 9/1997 Godyak et al. D26/3
5,757,110 A 5/1998 Motiduki et al.
D395,092 S * 6/1998 Vakil D26/2
D398,407 S 9/1998 O'Connell et al.
D435,576 S * 12/2000 McBride D16/203
D435,577 S 12/2000 McBride
D463,584 S * 9/2002 Yim D26/2
D469,890 S * 2/2003 Bobel D26/2
D470,604 S 2/2003 Bobel
D470,606 S 2/2003 Bobel
D498,007 S * 11/2004 Bobel D26/2
D519,455 S * 4/2006 Tufano et al. D13/134
D532,532 S 11/2006 Maxik

(Continued)

Primary Examiner — Cathron C Brooks

Assistant Examiner — Kevin K Rudzinski

(74) *Attorney, Agent, or Firm* — Daniel C. Crilly, Esq.; Gray Robinson, P.A.

(57) **CLAIM**

The ornamental design for a base for a replaceable lighting unit, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of my ornamental design for a base for a replaceable lighting unit.

FIG. 2 is a rear perspective view thereof.

FIG. 3 is a front elevational view thereof.

FIG. 4 is a rear elevational view thereof.

FIG. 5 is a top plan view thereof.

FIG. 6 is a bottom plan view thereof.



FIG. 7 is a left side elevational view thereof.

FIG. 8 is a right side elevational view thereof; and,

FIG. 9 is a rear, bottom perspective view thereof in a position of use in a replaceable lighting unit.

The structures shown in broken lines in FIGS. 1-9 form no part of the claimed design and are included only to illustrate an environment.

1 Claim, 5 Drawing Sheets



US D635,293 S

Page 2

U.S. PATENT DOCUMENTS				
D542,943 S	*	5/2007	Wang	D26/2
D544,110 S		6/2007	Hooker et al.	
D545,456 S	*	6/2007	Foo	D26/2
D546,980 S	*	7/2007	Lo	D26/2
D547,886 S		7/2007	Foo	
D561,917 S		2/2008	Tsao	
D566,300 S	*	4/2008	Lo	D26/2
D581,555 S		11/2008	To et al.	
D582,578 S	*	12/2008	Tsai et al.	D26/2
D587,823 S	*	3/2009	Li et al.	D26/2
D593,223 S	*	5/2009	Komar	D26/2
D593,706 S		6/2009	Zayas et al.	
D596,764 S	*	7/2009	Yang et al.	D26/2
D598,143 S		8/2009	Gerritsen	
D601,721 S		10/2009	Foo	
D602,178 S		10/2009	Foo	
D602,181 S	*	10/2009	Foo	D26/2
D603,982 S	*	11/2009	Foo	D26/2
				* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9